

E:\IES\工程测试\硅胶\SFW20\SFW20-24V-3535-24-2700K+6000K-90-38\SFW20-24V-3535-24-2700K+6000K-90-6000K-38\SFW20-24V-3535-24-2700K+6000K-90-600

Photometric Data Table [cd]


G/C	0.0	30.0	60.0	90.0	120.0	150.0	180.0	210.0	240.0	270.0
0.0	429.4	428.2	427.7	427.1	426.9	427.2	429.4	428.2	427.7	427.1
3.0	431.7	433.4	431.7	426.1	419.8	417.4	420.4	420.7	422.8	423.6
6.0	427.0	436.1	433.7	421.2	405.7	399.7	405.6	411.0	416.1	415.4
9.0	414.1	431.9	431.0	412.7	387.7	377.9	386.2	397.3	404.8	402.0
12.0	393.8	418.2	419.9	398.6	368.4	354.1	363.7	376.8	386.5	381.8
15.0	365.9	392.8	397.4	378.3	346.6	329.9	337.2	348.8	359.9	354.4
18.0	331.7	357.1	364.3	349.1	319.4	300.8	305.8	315.9	326.1	322.0
21.0	291.7	316.9	324.0	312.7	285.3	267.3	270.7	278.9	288.8	284.8
24.0	249.4	272.9	282.7	272.6	246.4	230.0	233.3	241.0	252.9	249.0
27.0	208.3	232.5	244.9	235.3	206.3	192.9	195.2	206.5	219.6	213.9
30.0	169.8	196.0	210.4	200.6	168.3	154.6	159.3	170.3	188.2	183.0
33.0	135.8	161.6	178.6	169.5	133.8	122.7	127.4	140.5	158.0	152.1
36.0	107.3	130.9	148.5	138.6	104.9	94.13	100.1	111.9	128.8	123.6
39.0	84.01	104.5	118.9	110.7	81.30	72.79	78.15	89.04	102.2	97.03
42.0	65.47	81.63	92.70	86.32	62.93	56.26	60.82	69.60	79.02	74.12
45.0	51.10	63.04	70.81	65.51	49.05	43.69	47.56	54.36	60.17	56.36
48.0	40.24	48.95	53.65	49.63	38.56	34.89	37.58	42.67	45.84	42.83
51.0	32.06	38.22	40.90	38.08	30.82	28.19	30.01	33.74	35.40	33.09
54.0	25.96	30.28	31.77	29.87	24.94	23.12	24.38	27.05	27.91	26.30
57.0	21.42	24.46	25.19	23.67	20.49	19.23	19.90	21.81	22.27	21.17
60.0	17.86	19.97	20.42	19.31	17.01	16.11	16.39	17.65	18.02	17.30
63.0	14.95	16.65	16.75	15.83	14.11	13.50	13.47	14.43	14.64	14.26
66.0	12.62	13.75	13.75	13.09	11.75	11.30	11.03	11.67	11.86	11.74
69.0	10.62	11.45	11.31	10.81	9.702	9.383	8.969	9.329	9.551	9.554
72.0	8.867	9.433	9.265	8.790	7.933	7.695	7.090	7.339	7.486	7.620
75.0	7.283	7.650	7.445	7.057	6.363	6.203	5.448	5.574	5.699	5.875
78.0	5.840	6.132	5.846	5.469	4.935	4.801	3.970	4.005	4.116	4.286
81.0	4.513	4.665	4.427	4.062	3.693	3.600	2.674	2.682	2.739	2.908
84.0	3.327	3.459	3.196	2.866	2.677	2.616	1.605	1.606	1.610	1.722
87.0	2.360	2.400	2.240	1.913	2.012	1.934	0.8982	0.9264	0.8982	0.8464
90.0	1.716	1.748	1.720	1.770	1.774	1.905	0.7439	0.7653	0.7087	0.5832
93.0	1.548	1.682	1.664	1.679	1.749	1.876	0.7843	0.7680	0.7591	0.6030
96.0	1.550	1.615	1.664	1.699	1.745	1.847	0.8395	0.8138	0.8245	0.6833
99.0	1.552	1.603	1.664	1.724	1.747	1.818	0.9049	0.8793	0.8999	0.7637
102.0	1.554	1.628	1.668	1.754	1.749	1.789	0.9854	0.9697	0.9804	0.8542
105.0	1.556	1.649	1.724	1.784	1.751	1.784	1.076	1.080	1.086	0.9546
108.0	1.558	1.689	1.744	1.830	1.753	1.799	1.176	1.166	1.192	1.070
111.0	1.603	1.739	1.804	1.880	1.794	1.835	1.292	1.281	1.312	1.191
114.0	1.673	1.799	1.874	1.940	1.839	1.885	1.418	1.417	1.443	1.316
117.0	1.754	1.880	1.940	2.016	1.914	1.955	1.553	1.548	1.574	1.462
120.0	1.849	1.975	2.030	2.101	2.010	2.046	1.684	1.688	1.709	1.593
123.0	1.960	2.076	2.141	2.202	2.120	2.156	1.835	1.839	1.855	1.754
126.0	2.090	2.202	2.251	2.317	2.241	2.282	1.996	1.990	2.006	1.899
129.0	2.236	2.337	2.372	2.453	2.377	2.423	2.152	2.141	2.157	2.055
132.0	2.397	2.483	2.502	2.589	2.527	2.574	2.307	2.291	2.312	2.211
135.0	2.568	2.639	2.638	2.739	2.678	2.729	2.458	2.442	2.458	2.362
138.0	2.743	2.790	2.779	2.875	2.839	2.905	2.609	2.588	2.604	2.497
141.0	2.914	2.941	2.919	3.011	3.005	3.061	2.750	2.719	2.740	2.628
144.0	3.080	3.096	3.050	3.151	3.146	3.222	2.875	2.849	2.865	2.764
147.0	3.241	3.237	3.171	3.277	3.286	3.378	2.996	2.970	2.991	2.869
150.0	3.382	3.368	3.292	3.398	3.412	3.498	3.101	3.080	3.096	2.980
153.0	3.503	3.478	3.407	3.503	3.523	3.619	3.197	3.171	3.207	3.080
156.0	3.603	3.584	3.498	3.594	3.613	3.709	3.272	3.262	3.302	3.171
159.0	3.684	3.669	3.578	3.679	3.689	3.780	3.347	3.347	3.403	3.272
162.0	3.744	3.739	3.658	3.759	3.749	3.816	3.423	3.432	3.488	3.367
165.0	3.804	3.800	3.724	3.820	3.804	3.818	3.488	3.503	3.579	3.472
168.0	3.835	3.855	3.794	3.875	3.829	3.821	3.584	3.583	3.664	3.568
171.0	3.860	3.888	3.840	3.903	3.850	3.824	3.664	3.659	3.759	3.664
174.0	3.881	3.896	3.890	3.911	3.875	3.827	3.755	3.744	3.835	3.749
177.0	3.905	3.905	3.905	3.920	3.895	3.830	3.840	3.824	3.915	3.839
180.0	3.900	3.905	3.920	3.920	3.890	3.830	3.865	3.900	3.920	3.900
G/C	300.0	330.0								
0.0	426.9	427.2								
3.0	424.7	426.4								
6.0	414.2	416.3								
9.0	396.7	398.7								
12.0	374.9	375.4								
15.0	349.6	348.3								
18.0	320.3	317.7								
21.0	285.1	281.9								
24.0	247.3	242.5								
27.0	207.5	201.3								
30.0	169.1	161.8								

备注:

33.0	134.0	126.4
36.0	104.0	97.83
39.0	79.97	74.79
42.0	61.43	57.48
45.0	47.60	44.98
48.0	37.48	35.67
51.0	30.01	28.80
54.0	24.43	23.65
57.0	20.12	19.58
60.0	16.74	16.30
63.0	13.95	13.64
66.0	11.59	11.30
69.0	9.512	9.303
72.0	7.658	7.614
75.0	6.026	6.000
78.0	4.533	4.633
81.0	3.191	3.290
84.0	2.016	2.145
87.0	1.113	1.244
90.0	0.5977	0.6547
93.0	0.5782	0.5099
96.0	0.6486	0.5156
99.0	0.7290	0.5727
102.0	0.8145	0.6632
105.0	0.9051	0.7536
108.0	1.021	0.8691
111.0	1.141	0.9947
114.0	1.267	1.130
117.0	1.413	1.271
120.0	1.553	1.427
123.0	1.699	1.573
126.0	1.855	1.733
129.0	2.021	1.909
132.0	2.182	2.080
135.0	2.338	2.246
138.0	2.488	2.407
141.0	2.634	2.553
144.0	2.760	2.698
147.0	2.875	2.829
150.0	2.981	2.930
153.0	3.081	3.025
156.0	3.172	3.111
159.0	3.252	3.191
162.0	3.347	3.256
165.0	3.433	3.337
168.0	3.528	3.417
171.0	3.629	3.503
174.0	3.724	3.598
177.0	3.825	3.689
180.0	3.900	3.774


γ角度范围: 0度 - 180度
 γ角度间隔: 1.0度
 测试系统: 远方(EVERFINE)GO-2000B_V1系统 V2.0.269
 环境湿度: 65.0%
 测试距离: 9.200米 [K=1.0000]
 备注:

I (cd)



1000 lm

$\kappa = 1$



F = 5000 lm
 K = 0.7
 Hcc = 0.0 m
 Hfc = 0.0 m
 Eave = 100 lx

	Pcc	Pw	Pfc
—	70	50	30
—	50	30	20

